

AMENDED

No. 54172

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 15 1989

Returned to applicant for correction

Corrected application filed MAR 12 1993

Map filed NOV 15 1989

The applicant Frehner Construction Co., Inc.

124 W. Brooks Ave, of North Las Vegas

Nevada 89030, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) March 15, 1970 Nevada

1. The source of the proposed appropriation is Underground - Las Vegas Artesian Basin

2. The amount of water applied for is one second-foot

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Commercial Sand and Gravel

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under No. 12. "Remarks") N/A

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point within the NE 1/4 of NW 1/4 of Sec 24 & T23S R60E MDM Clark County Nevada at a Point from which the NE 1/4 Corner of said survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Sec 24, Bears N 26° 59' 25" E 466.67.

6. Place of use NE 1/4 of the NW 1/4 of Sec 24 T23S R60E MDM Clark County, Nevada

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) A proposed well drilled to a depth for adequate water equipped with pump & motor; storage tank & pipeline.

9. Estimated cost of works.....\$50,000

10. Estimated time required to construct works.....2 years

If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The well will be used for commercial sand & gravel operations use is estimated at 75,000,000 gallons annually in the maximum use year.

By s/Jim Matthews  
T24 W. Brooks Ave  
N. Las Vegas, Nev 89030

Compared bc/bc ab/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....1.0.....cubic feet per second, but not to exceed 19.44 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....June 29, 1995

Proof of completion of work shall be filed before.....July 29, 1995

Application of water to beneficial use shall be filed on or before.....June 29, 1998

Proof of the application of water to beneficial use shall be filed on or before.....July 29, 1998

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....AUG 16 1995

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....29th.....day of.....June.....

A.D. 1993.....

*[Signature]*  
State Engineer

Abrogated By 60962-T 1-0  
Part 69303 0.503